

PRICE LIST

WATER TANK | BORGUARD | HDPE NS-40 | PVC | CPVC & CONDUIT PIPES and FITTINGS



Manufacturing Since 2074 B.S



DEEP JYOTI

Since 2074 BS (2018 AD)

DeepJyoti is one of **Nepal's** leading brands in water management solutions, trusted for quality, reliability, and technical excellence. Guided by a vision to become the nation's most preferred brand, we are committed to delivering complete customer satisfaction through superior products and dependable service.

Backed by a highly skilled team and years of industry expertise, DeepJyoti integrates advanced technology with precision manufacturing to produce ISO-certified roto-moulded *Water Tanks, high-quality HSQ-O Gold drainage solutions, BorGuard piping systems, SDR-graded PVC and CPVC pipes and fittings, and NS-40 certified HDPE pipes*. Each product is engineered to meet stringent quality standards, ensuring durability, safety, and long-term performance for residential, commercial, and infrastructure applications across Nepal.



YOUR WATER STORAGE PARTNER

FOOD GRADE WATER TANK

for Drinking Water Storage (200ltr to 10,000ltr)

Application

- **Household Storage:** For daily residential water use
- **Rainwater Harvesting:** Collecting and storing rainwater
- **Agriculture:** Farm irrigation water storage
- **Commercial Use:** Hotels, restaurants, offices
- **Industrial Supply:** Factories and manufacturing units
- **Emergency Backup:** Reliable supply during water shortages



Product Features:-

Flexible	High Strength	UV RESISTANT	Cost Effective	Life-Time Warranty	Algae / Bacteria Resistant	Impact Resistant



DEEPJYOTI PLASTIC INDUSTRIES PVT. LTD.


Manufacturer of Food Grade Water Tanks

Price for Water Tanks Manufactured as per AN ISO 9001:2015

Effective from 2083 Baisakh 01t

MRP Rate Per Ltr

TANK SPECIFICATION	Colour	layer	CAPACITY (LTR)	RATE (RS/LTR)
Extra Heavy Tank	Black, Green, Blue	(2 layer)	500/750/1000/1500/2000	9.8
Extra Heavy Tank	Black, Green, Blue	(3 layer)	500/750/1000/1500/ 2000	10.3
Extra Heavy Tank	Black, Green, Blue	(4 layer)	500/750/1000/1500/ 2000	12.5
Extra Heavy Tank	Black, Green, Blue	(5 layer)	500/750/1000/1500/ 2000	13.5
Extra Heavy Tank	Black	(Standard)	200 & 300	11.5
Extra Heavy Tank	Black	(Standard)	3000/5000/10,000	10.5
Super Extra Heavy Tank	Black, Green, Blue	(3 Layer Premium)	500/750/1000/1500/ 2000	11.5
Super Extra Heavy Tank	Black	(Heavy Weight Premium)	1500/ 2000/ 3000/5000 & 10,000	12
Thermal Cool Tank	Black, Green, Blue	(Insulation layer)	500/750/1000/1500/ 2000	13.5



Capacity (Litres)	Height (Inches)	Width (Inches)
200 ltrs	26"	27"
300 ltrs	35"	29"
500 ltrs	40"	34"
750 ltrs	44"	39"
1000 ltrs	50"	42"
1500 ltrs	58"	47"
2000 ltrs	62"	54"
3000 ltrs	70"	61"
5000 ltrs	82"	73"
10000 ltrs	123"	85"

TERMS & CONDITIONS

1. Above Price are ex-Factory Bhaktapur.
2. Vat 13% is inclusive in the above rate.
3. This Price list supersedes all our previous Price List.
4. The Prices are subject to change without any prior notice.

Some Key Features

- Multi-layered, UV-resistant construction
- Food-grade virgin plastic material
- Leak-proof & algae-resistant design
- Lightweight, strong, and easy to install
- Corrosion-free with impact resistance





YOUR PLUMBING PARTNER

CPVC PIPES AND FITTINGS

for HOT AND COLD WATER

- Hot and cold water supply lines in residential buildings
- Plumbing for apartments, hotels, and commercial complexes
- Concealed piping systems inside walls and slabs
- High-temperature water lines for geysers and heaters
- Industrial water distribution where heat resistance matters
- Chemical-resistant piping for light industrial applications



Product Features:-

Corrosion Resistant	High Strength	UV RESISTANT	Cost Effective	Fire Resistant	Easy to Install	Withstands Upto 93°C

CPVC PIPES IN SDR-11 & 13.5 AS PER ASTM D2846 (COPPER TUBE SIZE)



CPVC (ISO) PIPE SDR 11

SIZE		3 MTR	
Inch	mm	PACKING	RATE
3/4	20	50	693
1"	25	30	1040
1 1/4"	32	20	1558
1 1/2"	40	15	2270
2"	50	10	3596



CPVC (ISO) PIPE SDR13.5

SIZE		3 MTR	
Inch	mm	Packing	Rate
3/4"	20	50	617
1"	25	30	926
1 1/4"	32	20	1387
1 1/2"	40	15	2020
2"	50	10	3200

STANDARDS

ASTM D 1785: Specification for Rigid PVC Composites

ASTM D 2846: Specification for Rigid PVC Plastic & Fittings for Hot & Cold Water Distribution

ASTM D 2846: Specification for Solvent Cement for PVC Plastic & Fittings

Pressure Rating of CPVC Pipes (SDR-11 & SDR-13.5)

Size	Pipe Size in inch	3/4"	1"	1 1/4"	1 1/2"	2"
	Pipe Size in mm	20	25	32	40	50
SDR 13.5	Average Outer Diameter (mm)	22.20	28.60	34.90	41.30	54.00
	Min. Wall Thickness (mm)	1.65	2.12	2.59	3.60	4.00
	Max Work Pressure Rating (kg./cm ²) of 23°C	22.50	22.50	22.50	22.50	22.50
	Burst Pressure (kg./cm ²)	5.60	5.60	5.60	5.60	5.60
SDR 11	Average Outer Diameter (mm)	22.20	28.60	34.90	41.30	54.00
	Min. Wall Thickness (mm)	2.03	2.59	3.18	3.76	4.9
	Max Work Pressure Rating (kg./cm ²) of 23°C	28.10	28.10	28.10	28.10	28.10
	Burst Pressure (kg./cm ²)	7.00	7.00	7.00	7.00	7.00



CPVC FITTINGS IN SDR-11 AS PER ASTM D2846



CPVC TANK CONNECTOR				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*8=400	128
1"	25	25	25*9=225	189
1 1/4"	32	15	15*9=135	410
1 1/2"	40	10	10*10=100	457
2"	50	7	7*9=63	733



CPVC COUPLER / SOCKET				
Inch	mm	Packing	Box pack	Rate
3/4"	20	100	100*12=1200	26
1"	25	50	50*12=600	42
1 1/4"	32	40	40*8=320	85
1 1/2"	40	25	25*7=175	142
2"	50	12	12*8=96	299



CPVC PLAIN 90° ELBOW				
Inch	mm	Packing	Box pack	Rate
3/4"	20	100	7*100=700	38
1"	25	50	50*7=350	71
1 1/4"	32	25	25*8=200	130
1 1/2"	40	15	15*8=120	199
2"	50	5	5*12=60	480



CPVC MALE ADAPTOR BRASS THREAD				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*5=250	288
1"	25	25	25*5=125	451
1 1/4"	32	15	15*6=90	1111
1 1/2"	40	10	10*5=50	1425
2"	50	6	6*5=30	2356



CPVC 45° ELBOW				
Inch	mm	Packing	Box pack	Rate
3/4"	20	100	100*8=800	34
1"	25	50	50*9=450	64
1 1/4"	32	25	25*10=250	127
1 1/2"	40	15	20*10=200	238
2"	50	5	10*10=100	499



CPVC FEMALE BRASS TEE				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*4=200	275
1"	25	25	25*4=100	494
3/4"*1/2"	20*15	50	25*8=200	152
1"*1/2"	25*15	25	15*8=120	268



CPVC UNION				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*8=400	228
1"	25	25	25*10=250	275
1 1/4"	32	20	20*8=160	471
1 1/2"	40	12	12*9=108	617
2"	50	8	8*9=72	1102



CPVC FEMALE ADAPTER BRASS THREAD				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*5=250	275
1"	25	25	25*6=150	442
1 1/4"	32	20	20*6=120	1035
1 1/2"	40	15	12*5=60	1292
2"	50	6	6*5=30	2325



CPVC BALL VALVE				
Inch	mm	Packing	Box pack	Rate
3/4"	20	16	16*25=400	410
1"	25	8	8*25=200	613
1 1/4"	32	4	4*25=100	1278
1 1/2"	40	3	3*25=75	1829
2"	50	2	2*25=50	3087



CPVC END CAP				
Inch	mm	Packing	Box pack	Rate
3/4"	20	200	200*11=2200	23
1"	25	100	100*11=1100	36
1 1/4"	32	50	50*12=600	69
1 1/2"	40	40	40*8=320	95
2"	50	25	25*8=200	212



CPVC TEE				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*10=500	46
1"	25	25	25*10=250	85
1 1/4"	32	20	20*6=120	165
1 1/2"	40	10	10*8=80	270
2"	50	4	4*12=48	608



CPVC FEMALE BRASS ELBOW				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*8=400	191
1"	25	25	25*9=225	543



CPVC END PLUG				
Inch	mm	Packing	Box pack	Rate
1/2"	15	100	100*8=800	17



CPVC CROSS TEE				
Inch	mm	Packing	Box pack	Rate
3/4"	20	50	50*8=400	135
1"	25	50	25*8=200	225


CPVC FITTINGS IN SDR-11 AS PER ASTM D2846



CPVC Reducer				Socket	Tee
Inch	mm	Packing	Box pack	Rate	Rate
¾" * ½"	20*15	200	200x12=1200	28	60
1" * ½"	25*15	100	100x10=1000	38	91
1" * ¾"	25*20	100	100x08=800	42	91
1¼" * ½"	32*15	50	50x10=499	102	128
1¼" * ¾"	32*20	50	50x10=500	108	130
1¼" * 1"	32*25	50	50x8=400	118	150
1½" * ½"	40*15	30	30x10=299	152	290
1½" * ¾"	40*20	30	30x10=300	237	296
1½" * 1"	42*25	30	30x10=300	247	310
1½" * 1¼"	40*32	30	30x10=300	250	325
2" * ½"	50*15	20	20x8=159	351	589
2" * ¾"	50*20	20	20x8=160	446	595
2" * 1"	50*25	20	20x8=160	370	610
2" * 1¼"	50*32	15	15x9=135	408	650
2" * 1½"	50*40	15	15x9=135	427	685



CPVC SOLVENT CEMENT			
Mililitre	Packing	Box pack	Rate
50 ml	30	30*16=480	275
59 ml	24	24*12=288	325
100 ml	15	15*10=150	412
118 ml	12	12*6=72	487



CPVC METAL CLAMP				
Inch	mm	Packing	Box pack	Rate
¾"	20	100	2000	21
1"	25	100	1500	25
1¼"	32	100	1500	27
1½"	40	100	1200	38
2"	50	50	1000	47



CPVC TRIPLE FEMALE BRASS ELBOW				
Inch	mm	Packing	Box pack	Rate
30/1"x1/2"	20	1	20	807



CPVC STEP OVER BEND				
Inch	mm	Packing	Box pack	Rate
¾"	20	25	25*7=175	171
1"	25	15	10*9=135	344



CPVC DOUBLE FEMALE BRASS ELBOW				
Inch	mm	Packing	Box pack	Rate
20*15	¾*1/2	1	32	425

TERMS & CONDITIONS

1. Above Price are ex-Factory Bhaktapur.
2. Above Price includes 13% Vat.
3. The Prices are subject to change without any prior notice.



An ISO Certified 9001:2015 Company



YOUR PLUMBING PARTNER

PVC PIPES AND FITTINGS

for Sewerage Waste & Rain Water

Application

- Water supply systems
- Drainage and sewerage lines
- Agricultural irrigation
- Electrical conduit wiring
- Plumbing and sanitation
- Industrial pipelines
- Construction and infrastructure
- Water treatment systems



Product Features:-

Light Weight

High Strength

UV RESISTANT

Cost Effective


Fire Resistant

Easy to Install

leakproof Joints

uPVC/PVC PIPE

(SEWERAGE WASTE & RAIN WATER)



An ISO Certified 9001:2015 Company

Deepjyoti Extreme Flow PVC Pipe

Extreme Flow An Iso 9001:2015

mm	Inch	4 Kg/cm ²		6 Kg/cm ²	
		3mtr	6mtr	3mtr	6mtr
50mm	1½	-	-	500	-
63mm	2	618	1236	915	1830
75mm	2½	750	1500	1000	2000
90mm	3	960	1920	1600	3200
110mm	4	1200	2400	2000	4000
160mm	6	2800	5600	4000	8000
200mm	8	5875	11745	8808	17616

DEEPJYOTI uPVC Pipe AS PER NS-206



OD		PRESSURE							
		(2.5 Kg/cm ²)		(4 Kg/cm ²)		(6 Kg/cm ²)		(10 Kg/cm ²)	
mm	inch	3 mtr	6 mtr	3 mtr	6 mtr	3 mtr	6 mtr	3 mtr	6 mtr
50	1½	-	-	-	-	662	1,324	1,105	2,210
75	2½	-	-	950	1,900	1,490	2,980	2,502	5,004
110	4	1,544	3,088	1,700	3,400	2,800	5,600	5,483	10,966
160	6	3,017	6,034	4,200	8,400	6,500	13,000	11,660	23,320



An ISO Certified 9001:2015 Company

DEEPJYOTI BORGUARD PVC PIPES MANUFACTURED AS PER BS:3505					
S.N.	Size in mm	50MM	63MM	110MM	160MM
	Size in inch	1½	2	4	6
1	Plain Socket Class C	588	654	2637	5907
2	Plain Socket Class D	627	828	3549	7710
3	Plain Socket Class E	786	1020	4482	9312

3 mtr rate

TERMS & CONDITIONS

1. Above Price are ex-Factory Bhaktapur.
2. Above price includes 13%Vat.
3. Pipes are available in 3/6 mtr length .
4. The Prices are subject to change without any prior notice.
5. Force Majeure clause shall apply.



PVC PIPE FITTINGS (SEWERAGE WASTE & RAIN)



SINGLE TEE (TEE)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	117
75	2.5"	55	295
110	4"	32	547
160	6"	14	1257



DOUBLE TEE			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75	2.5"	22	685
110	4"	18	1315
-	-	-	-



SINGLE TEE WITH DOOR (DOOR TEE)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	-
75	2.5"	55	390
110	4"	32	725
160	6"	14	1735



BEND 87.5° WITH DOOR (DOOR BEND)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	-
75	2.5"	55	295
110	4"	32	495
160	6"	14	1265



BEND 87.5 (ELBOW 90°)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	75
75	2.5"	55	215
110	4"	32	375
160	6"	14	935



BEND 45 (ELBOW 45°)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	65
75	2.5"	55	185
110	4"	32	325
160	6"	14	915



SINGLE 'Y'			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	-
75	2.5"	55	395
110	4"	32	725
160	6"	14	-



SINGLE 'Y' WITH DOOR			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	-
75	2.5"	55	475
110	4"	32	875
160	6"	14	-



DOUBLE 'Y'			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75	2.5"	60	719
110	4"	32	1315
-	-	-	-



REDUCER (R-TEE)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
-	-	-	-
110x75	4"x2.5"	32	483
160x110	6"x4"	14	1268



REDUCER (R-SOCKET)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75x50	2.5"	96	125
110x75	4"	24	265
160x110	6"	14	615



REDUCER DOOR TEE			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75*110	2.5" 4"	6	745



COUPLER (SOCKET)			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	67
75	2.5"	55	167
110	4"	32	287
160	6"	14	727



CLEANSING PIPE			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75	2.5"	55	305
110	4"	32	595
-	-	-	-

PVC PIPE FITTINGS (SEWERAGE WASTE & RAIN WATER)



END CAP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	50
75	2.5"	55	145
110	4"	32	345
-	-	-	-



MULTI-FLOR TRAP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
-	-	-	-
110	4"	27	745
-	-	-	-



PIPE CLIP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	100	46
75	2.5"	55	64
110	4"	32	87
160	6"	14	207



SOLVENT CEMENT		
MILLILITRE	BOX	RATE
50 ML	55	105
100ML	60	155
200ML	32	265
250ML	-	-
500ML	14	555
1000ML	14	1010



VENT COWL			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	300	-
75	2.5"	275	77
110	4"	220	137
160	6"	150	-



METAL CLIP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	200	55
75	2.5"	200	75
110	4"	140	110
160	6"	100	185



ROUND JALI			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
-	-	-	-
110	4"	300	65
-	-	-	-



NAHANI TRAP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
-	-	-	-
110	4"	32	455
-	-	-	-



SOCKET PLUG			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
50	1.5"	75	65
75	2.5"	55	145
110	4"	32	205
160	6"	-	-



P-TRAP			
SIZE		BOX	RATE
MM	INCH	PCS	UNIT
-	-	-	-
75	2.5"	18	675
110	4"	18	1055
-	-	-	-

TERMS & CONDITIONS

1. Above Price are ex-Factory Bhaktapur.
2. Above Price includes 13% Vat.
3. This Price list supersedes all our previous Price List.
4. The Prices are subject to change without any prior notice.
5. Force Majeure clause shall apply.

CONDUIT PIPES AND FITTINGS

for Wiring and Cable protection



USES:

- Residential electrical wiring protection
- Commercial and office installations
- Industrial and factory wiring
- Street lighting and infrastructure
- Underground cable protection
- Institutional building networks
- Renovation and upgrade projects



Product Features:-




Light
Weight



High
Strength



UV
RESISTANT



Cost
Effective



Fire
Resistant



Easy
to Install



Flexible

CONDUIT PIPES AND FITTINGS For Wiring And Cable Protection

Colour : Ghost White



Sizes (mm)	3 Mtr Pipe Rate		
	20	25	32
Packing	100	75	50
Light	459	585	822
Medium	747	900	1080
Heavy	1188	1365	1794



CIRCULAR BOX- TERMINAL (1 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	60
25	20	80
32	-	-



CIRCULAR BOX- ANGLE (2 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	68
25	20	85
32	-	-



CIRCULAR BOX- THROUGH (2 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	68
25	20	81
32	-	-



CIRCULAR BOX- TEE (3 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	70
25	20	88
32	-	-



CIRCULAR BOX- INTERSECTION (4 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	70
25	20	100
32	-	-



DEEP CIRCULAR BOX- TERMINAL (1 WAY)		
Size OD (mm)	Standard Pack	MRP
20	20	115
25	20	137
32	15	190



DEEP CIRCULAR BOX- ANGLE (2 WAY)		
Size OD (mm)	Standard Pack	MRP
20	10	127
25	10	140
32	8	194



DEEP CIRCULAR BOX- THROUGH (2 WAY)		
Size OD (mm)	Standard Pack	MRP
20	10	125
25	10	150
32	8	194



DEEP CIRCULAR BOX- TEE (3 WAY)		
Size OD (mm)	Standard Pack	MRP
20	10	128
25	10	162
32	8	207



DEEP CIRCULAR BOX- INTERSECTION (4 WAY)		
Size OD (mm)	Standard Pack	MRP
20	10	135
25	10	171
32	8	231

TERMS & CONDITIONS

- 1.All prices are ex-factory/ex-warehouse and subject to change without prior notice .
- 2.13% VAT is included in the listed prices.



CONDUIT PIPES AND FITTINGS For Wiring And Cable Protection



SLIP TYPE BEND NORMAL		
Size OD (mm)	Standard Pack	MRP
20	50	43
25	50	76
32	25	216



SLIP TYPE BEND LONG		
Size OD (mm)	Standard Pack	MRP
20	50	47
25	50	81
32	25	224



COUPLER		
Size OD (mm)	Standard Pack	MRP
20	100	20
25	100	24
32	60	60



REDUCER COUPLER		
Size OD (mm)	Standard Pack	MRP
20	100	39
25	-	-
32	-	-



SPACE BAR SADDLE		
Size OD (mm)	Standard Pack	MRP
20	100	32
25	100	38
32	60	54



ELBOW		
Size OD (mm)	Standard Pack	MRP
20	100	32
25	100	42
32	60	54



TEE		
Size OD (mm)	Standard Pack	MRP
20	100	57
25	100	68
32	60	80



INSPECTION ELBOW		
Size OD (mm)	Standard Pack	MRP
20	100	143
25	100	203
32	-	-



INSPECTION TEE		
Size OD (mm)	Standard Pack	MRP
20	100	149
25	100	212
32	-	-



CIRCULAR EXTENSION RING		
Size OD (mm)	Standard Pack	MRP
20	100	49
25	100	57
32	-	-



FEMALE BUSH ADAPTOR		
Size OD (mm)	Standard Pack	MRP
20	100	40
25	100	50



BENDING SPRING		
Size OD (mm)	Standard Pack	MRP
20	100	737
25	-	-

Orders & Payment

1. Minimum order quantity (MOQ) may apply.
2. Payment terms to be mutually agreed upon at the time of order .
3. Orders once confirmed cannot be cancelled without written approval .



An ISO Certified 9001:2015 Company

YOUR **WATER SUPPLY** PARTNER

HDPE PIPES AND FITTINGS

for Drinking Water Supply



Application

- Water supply - municipal distribution and potable water
- Irrigation - agricultural and landscape system
- Sewage & drainage - sewer lines and stormwater management
- Industrial - chemical transport and mining
- Gas distribution - natural gas pipelines
- Telecommunications - cable conduits
- Marine - outfall and intake lines
- Geothermal - heat pump systems
- Landfill - leachate collection



Product Features:-



Flexible

High
StrengthUV
RESISTANTCost
EffectiveFire
Resistant

Non-toxic

Impact
Resistant

**DEEPJYOTI PLASTIC INDUSTRIES PVT. LTD.**

Manufacturer of PE 100 Grade HDPE Pipes

Price for HDPE Pipes Manufactured as per NS-40/2079


Effective from 2083 Baisakh 01

MRP Rate Per Mtr

SDR		SDR 41	SDR 33	SDR 26	SDR 21	SDR 17	SDR 13.6	SDR 11	SDR 9	SDR 7.4
Size in mm	size in inch	PN 3	PN 4	PN 5	PN 6	PN 8	PN 10	PN 12.5	PN 16	PN 20
16 mm	-	-	-	-	-	-	-	-	32.50	37.70
20 mm	1/2"	-	-	-	-	-	-	42.90	52.00	58.50
25 mm	3/4"	-	-	-	-	-	54.60	65.00	78.00	91.00
32 mm	1"	-	-	-	-	71.50	88.40	105.30	127.40	149.50
40 mm	1-1/4"	-	-	-	91.00	111.80	137.80	166.40	197.60	228.80
50 mm	1-1/2"	-	-	120.90	141.70	175.50	213.20	258.70	306.80	361.40
63 mm	2"	-	-	185.90	218.40	265.20	330.20	397.80	468.00	556.40
75 mm	2-1/2"	175.50	208.00	261.30	319.80	393.90	481.00	578.50	685.10	808.60
90 mm	3"	240.50	305.50	378.30	455.00	552.50	689.00	822.90	980.20	1,159.60
110 mm	4"	362.70	447.20	561.60	757.90	832.00	1,014.00	1,227.20	1,470.30	1,731.60
125 mm	4-1/2"	469.30	572.00	715.00	881.40	1,068.60	1,307.80	1,592.50	1,891.50	2,232.10
140 mm	5"	598.00	720.20	895.70	1,103.70	1,342.90	1,639.30	1,996.80	2,377.70	2,806.70
160 mm	6"	756.60	941.20	1,175.20	1,446.90	1,762.80	2,148.90	2,603.90	3,097.90	3,664.70
180 mm	7"	952.90	1,190.80	1,493.70	1,818.70	2,211.30	2,718.30	3,282.50	3,913.00	4,630.60
200 mm	8"	1,184.30	1,458.60	1,827.80	2,252.90	2,730.00	3,343.60	4,049.50	4,841.20	5,716.10
225 mm	9"	1,498.90	1,857.70	2,321.80	2,847.00	3,454.10	4,247.10	5,137.60	6,111.30	7,242.30
250 mm	10"	1,836.90	2,276.30	2,873.00	3,511.30	4,249.70	5,218.20	6,342.70	7,550.40	8,915.40
280 mm	11"	2,328.30	2,850.90	3,580.20	4,383.60	5,343.00	6,554.60	7,948.20	9,482.20	11,191.70
315 mm	12"	2,923.70	3,616.60	4,539.60	5,527.60	6,770.40	8,291.40	10,058.10	11,971.70	14,155.70
355 mm	14"	3,720.60	4,578.60	5,755.10	7,018.70	8,567.00	10,514.40	12,746.50	15,232.10	17,969.90
400 mm	16"	4,715.10	5,813.60	7,269.60	8,928.40	10,895.30	13,395.20	16,179.80	19,329.70	22,813.70
450 mm	18"	5,946.20	7,355.40	9,189.70	11,317.80	13,763.10	16,896.10	20,464.60	24,423.10	28,888.60
500 mm	20"	7,319.00	9,050.60	11,381.50	13,964.60	17,017.00	20,875.40	25,299.30	30,179.50	35,639.50

TERMS AND CONDITIONS

1. Above Price are ex-Factory Bhaktapur.
2. Vat 13% will be charged extra.
3. This Price list supersedes all our previous Price List.
4. The Prices are Subject to Change without any prior notice.





;- VST (Vicat Softening Temperature) Test ensures CPVC pipes can withstand high temperatures without softening or deformation, confirming their suitability for hot and cold water supply applications and long-term safe performance.



;- Muffle Furnace Test is used for PVC pipes to verify material composition and thermal stability by measuring residue content under high temperatures, ensuring consistent quality and compliance with required standards.






DEEP JYOTI

PLASTIC INDUSTRIES PVT. LTD.

Our Locations



DEEP JYOTI

HEAD OFFICE :BHAKTAPUR KAMALBINAYAK

☎ Telephone no.: 01-5928993

✉ Email: deepjyotiplasticindustries@gmail.com

🌐 Webiste: www.https://deepjyotiwatertank.com/

Follow us on FaceBook, Instagram, TikTok, WhatsApp by scanning the QR !

